



IPC-2223E

# Sectional Design Standard for Flexible/Rigid-Flexible Printed Boards

Developed by the Flexible Circuits Design Subcommittee (D-11) of the Flexible Circuits Committee (D-10) of IPC

***Supersedes:***

IPC-2223D - September 2016  
IPC-2223C - November 2011  
IPC-2223B - May 2008  
IPC-2223A - June 2004  
IPC-2223 - November 1998  
IPC-D-249 - January 1987

Users of this publication are encouraged to participate in the development of future revisions.

Contact:

IPC

# Table of Contents

<b>1 SCOPE</b> .....	1	<b>5 MECHANICAL AND PHYSICAL PROPERTIES</b> ....	11
1.1 Purpose .....	1	5.1 Fabrication Requirements .....	11
1.2 Classification of Products .....	1	5.1.1 Bare Printed Board Fabrication .....	11
1.2.1 Printed Board Type .....	1	5.1.2 Roll to Roll Fabrication .....	11
1.2.2 Installation Uses .....	4	5.2 Product/Printed Board Configuration .....	12
1.3 Revision Level Changes .....	4	5.2.1 Circuit Profile (Outline) .....	12
<b>2 APPLICABLE DOCUMENTS</b> .....	4	5.2.2 Rigid Area Considerations .....	13
2.1 IPC .....	4	5.2.3 Flexible Areas .....	13
2.2 Joint Industry Standards .....	4	5.2.4 Preforming Bend .....	16
<b>3 GENERAL REQUIREMENTS</b> .....	5	5.2.5 Differential Lengths .....	17
3.1 Design Modeling .....	5	5.2.6 Shielding .....	21
3.2 Design Layout .....	5	5.2.7 Ground/Power Plane .....	21
3.2.1 Mechanical Layout Efficiency (Consider Final Panelization) .....	5	5.2.8 Stiffeners and Heat Sinks .....	21
3.2.2 Fabrication Drawing Recommendations .....	5	5.2.9 Strain Relief Fillet Guidelines for Flexible and Rigid-Flex Printed Boards .....	21
3.3 Schematic .....	5	5.3 Assembly Requirements .....	22
3.4 Test Requirement Considerations .....	6	5.3.1 Mechanical Considerations .....	22
3.4.1 Environmental .....	6	5.3.2 Array Sub-Pallets for Flexible and Rigid Printed Boards .....	22
3.4.2 Mechanical/Flexural .....	6	5.3.3 Single Part Sub-Pallets .....	22
<b>4 MATERIALS</b> .....	6	5.3.4 Non-Palletized Flexible and Rigid-Flex Printed Boards .....	22
4.1 Material Selection .....	6	5.3.5 Moisture .....	23
4.1.1 Material Options .....	7	5.3.6 Infrared Preheats and Reflow .....	23
4.2 Dielectric Materials (Including Prepreg and Adhesives) .....	7	5.3.7 Adhesive T <sub>g</sub> .....	23
4.2.1 Preimpregnated Bonding Material (Prepreg) .....	7	5.4 Dimensioning .....	23
4.2.2 Adhesives (Liquid) .....	7	5.4.1 Datum Features .....	23
4.2.3 Flexible Adhesive Bonding Films (Cast Adhesive or Bondply) .....	7	<b>6 ELECTRICAL PROPERTIES</b> .....	23
4.2.4 Conductive Anisotropic Adhesives .....	7	6.1 Electrical Considerations .....	23
4.2.5 Cover Materials .....	8	6.2 Impedance and Capacitance Control .....	24
4.3 Conductive Materials (Surface Finishes) .....	9	6.2.1 Impedance Modeling Software .....	24
4.3.1 Electrolytic Copper Plating .....	9	6.2.2 Material Thickness and Stack Up .....	24
4.3.2 Nickel Plating .....	10	6.2.3 Conductor Pitch .....	24
4.3.3 Tin-Lead Plating .....	10	6.2.4 Narrow Conductors .....	24
4.3.4 Solder Coating .....	10	6.2.5 Differential Impedance .....	25
4.3.5 Other Metallic Coatings .....	11	6.2.6 Unbonded Flexible Impedance Controlled Layers (“Loose-leaf layers”) .....	25
4.3.6 Electronic Component Materials (Buried Resistors and Capacitors) .....	11	6.2.7 Modifications to Shield Layers .....	26
4.3.7 Conductive Coatings for Shielding .....	11	6.2.8 Dielectric Constant Changes Over Frequency ..	27
4.4 Organic Protective Coatings .....	11	<b>7 THERMAL MANAGEMENT</b> .....	27
4.4.1 Solder Mask .....	11	<b>8 COMPONENT AND ASSEMBLY ISSUES</b> .....	27
4.4.2 Conformal Coating .....	11	8.1 General Placement Requirements .....	27
4.5 Marking and Legend .....	11	8.2 Standard Surface Mount Requirements .....	27

8.3 Lands for Surface Mounting ..... 27

8.4 Constraints on Mounting to Flexible Sections .. 27

8.5 Interfacial Connections ..... 27

8.6 Offset Lands ..... 27

**9 HOLES/INTERCONNECTIONS ..... 28**

9.1 General Requirements for Lands with Holes .... 28

9.1.1 Land Requirements ..... 28

9.1.2 Annular Ring Requirements ..... 28

9.1.3 Eyelet or Standoff Land Area Considerations ... 28

9.1.4 Land Size for Non-Plated Component Holes ... 28

9.1.5 Land Size for Plated-Through Component Holes ..... 28

9.1.6 Thermal Relief in Conductor Planes ..... 28

9.1.7 Surface Mount Components ..... 28

9.1.8 Nonfunctional Lands ..... 28

9.1.9 Land-to-Conductor Transition ..... 29

9.1.10 Unsupported Edge Conductors/Fingers ..... 29

9.2 Holes ..... 36

9.2.1 Unsupported (Non-Plated) Component Holes ... 36

9.2.2 Plated Component Holes ..... 36

9.2.3 Copper Filled Vias ..... 36

9.2.4 Back-drilled Holes ..... 36

9.3 Coverlay Access Openings ..... 36

9.3.1 Coverlay Access, Unsupported Lands ..... 36

9.3.2 Coverlay Access, Holes ..... 37

9.3.3 Coverlay Access Spacing ..... 38

9.3.4 Land Access/Exposed Lands ..... 38

9.3.5 Type 1 Land Access, Opposite Sides ..... 38

**10 CONDUCTORS ..... 38**

10.1 Conductor Characteristics ..... 38

10.1.1 Conductor Routing ..... 38

10.1.2 Conductor Edge Spacing ..... 39

10.2 Land Characteristics ..... 39

10.3 Large Conductive Areas ..... 39

**11 DOCUMENTATION ..... 39**

**12 QUALITY ASSURANCE ..... 39**

**APPENDIX A Design Tutorial ..... 40**

Figure 1-4 Type 2 Double-Sided Flexible Printed Board – Adhesiveless Substrate Construction ..... 2

Figure 1-5 Type 3 Multilayer Flexible Printed Board – Adhesive Substrate Construction ..... 2

Figure 1-6 Type 3 Multilayer Flexible Printed Board – Adhesiveless Substrate Construction ..... 2

Figure 1-7 Type 4 Rigid-Flex Printed Board – Adhesive Substrate Construction ..... 3

Figure 1-8 Type 4 Rigid-Flex Printed Board – Adhesiveless Substrate Construction ..... 3

Figure 1-9 Type 5 Flexible or Rigid-Flex Printed Board without PTHs – Adhesive Substrate Construction ..... 3

Figure 1-10 Type 5 Flexible or Rigid-Flex Printed Board without PTHs – Adhesiveless Substrate Construction ..... 3

Figure 3-1 Dimensional Modeling ..... 5

Figure 3-2 Final Panelization ..... 5

Figure 4-1 Flexible Cross-Sectional Construction Examples ..... 6

Figure 4-2 Unbonded Flex Cross-Sectional Construction of Rigid Flex ..... 6

Figure 4-3 Plating for Adhesiveless Substrate Applications ..... 10

Figure 4-4 Selective Plating for Adhesive Substrate Applications ..... 10

Figure 5-1 Circuits Nested On a Panel ..... 12

Figure 5-2 Special Flexible Printed Board Features ..... 12

Figure 5-3 Cutout with a Drilled Hole ..... 12

Figure 5-4 Reinforcement Patch for Flex Area ..... 12

Figure 5-5 Slits and Slots ..... 13

Figure 5-6 Spacing of PTH from Rigid to Flex Interface ..... 13

Figure 5-7 Reduced Bend Radii ..... 14

Figure 5-8 Conductors in Bend Areas ..... 14

Figure 5-9 Bend/Crease Areas Center Lines ..... 15

Figure 5-10 Neutral Axis Ideal Construction ..... 15

Figure 5-11 Definition of Bend Ratio ..... 16

Figure 5-12 Irregular Folds ..... 17

Figure 5-13 Differential Printed Board Lengths ..... 18

Figure 5-14 Differential Printed Board Lengths, Rigid-Flex ..... 18

Figure 5-15 Bookbinder ..... 20

Figure 5-16 Staggered Flexible Layer Bands ..... 20

Figure 5-17 Staggered Flexible Layer Bands ..... 20

Figure 5-18 Typical Example of Copper Removal for Flexible Shielding ..... 21

Figure 5-19 Stiffener Thickness Preferred in Order to Apply Strain Relief Fillet ..... 21

Figure 5-20 Strain Relief ..... 22

Figure 5-21 Rigid Rails for Single Part Sub-Pallets ..... 22

Figure 5-22 Establishing Datums ..... 23

Figure 6-1 Adjustment to Dielectric Thickness between Rigid and Flexible Regions ..... 24

**Figures**

Figure 1-1 Type 1 Single-Sided Flexible Printed Board – Adhesive Substrate Construction ..... 1

Figure 1-2 Type 1 Single-Sided Flexible Printed Board – Adhesiveless Substrate Construction ..... 1

Figure 1-3 Type 2 Double-Sided Flexible Printed Board – Adhesive Substrate Construction ..... 2



# Sectional Design Standard for Flexible/ Rigid-Flexible Printed Boards

## 1 SCOPE


This standard establishes the specific requirements for the design of flexible and rigid-flexible printed board applications and its forms of component mounting and interconnecting structures. The flexible materials used in the structures are comprised of insulating films, reinforced and/or non-reinforced, dielectric in combination with metallic materials. These interconnecting boards may contain single, double, multilayer, or multiple conductive layers and can be comprised wholly of flex or a combination of both flex and rigid.

**1.1 Purpose** The requirements contained herein are intended to establish specific design details that **shall** be used in conjunction with IPC-2221 and may also be used in conjunction with IPC-2222 for the rigid sections of rigid-flex circuits.

**1.2 Classification of Products** Classification type and use of products **shall** be in accordance with IPC-2221 and as stated in 1.2.1 and 1.2.2.

**1.2.1 Printed Board Type** This standard provides design information for different flexible and rigid-flex printed board types. Printed board types are classified as:

**Type 1** Single-sided flexible printed board containing one conductive layer, with or without stiffener, and constructed using an adhesive or adhesiveless substrate (see Figure 1-1 and Figure 1-2).



**Figure 1-1 Type 1 Single-Sided Flexible Printed Board – Adhesive Substrate Construction**


**Note 1:** Access Hole.

**Note 2:** Coverlay.

**Note 3:** Adhesive.

**Note 4:** Substrate.

**Note 5:** Copper Pad.



**Figure 1-2 Type 1 Single-Sided Flexible Printed Board – Adhesiveless Substrate Construction**

**Note 1:** Access Hole.

**Note 2:** Coverlay.

**Note 3:** Adhesive.

**Note 4:** Adhesiveless Substrate.

**Note 5:** Copper Pad.